




Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1

Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3


Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1


Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3


Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1


Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3


Sonderprofil Oval

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,5	3,1
	7,0	6,7	7,3	4,1	4,7


Sonderprofil Fünfling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3	4,7	5,3	3,0	3,4


Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1


Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3


Sonderprofil Oval

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,5	3,1
	7,0	6,7	7,3	4,1	4,7


Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1


Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3


Sonderprofil Oval

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,5	3,1
	7,0	6,7	7,3	4,1	4,7

Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	2,0	1,8	2,2	0,2
	3,0	2,7	3,2	0,3
	4,0	3,7	4,2	0,3
	5,0	4,7	5,3	0,4
	6,0	5,7	6,3	0,4


Dreikant TA 90

	Nennmaß a	Breite a		Höhe b
		min.	max.	max.
	mm	mm	mm	mm
	4,0	3,7	4,3	2,9
	4,3	4,0	4,6	3,3
	4,5	4,2	4,8	3,3
	5,0	4,7	5,3	3,6
	6,0	5,7	6,3	4,5
	7,0	6,7	7,3	5,1


Dreikant TA 80

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,6	3,2
	5,7	5,4	6,0	3,3	3,9
	6,0	5,7	6,3	3,4	4,0
	7,0	6,7	7,3	4,2	4,8


Sonderprofil Drilling

	Nennmaß a x b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5 x 3,5	4,7	5,3	3,2	3,8


Sonderprofil Zwilling

	Nennmaß b	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	3,0	6,0	6,6	2,7	3,3

Sonderprofil Oval

	Nennmaß a	Breite a		Höhe b	
		min.	max.	min.	max.
	mm	mm	mm	mm	mm
	5,0	4,7	5,3	2,5	3,1
	7,0	6,7	7,3	4,1	4,7

Runddraht

	Nennmaß d	Durchmesser d		Rundheitsabweichung
		min.	max.	
	mm	mm	mm	mm
	1,75	1,60	1,80	0,20
	2,85	2,75	2,95	0,20
	3,00	2,90	3,10	0,20